


ENJET H8-190 Sublimation Printer

8 print heads



New design scheme

High-precision control, the whole machine adopts full-servo network control, and the paper collection and placement, stepping, scanning and printing are accurate



CONSTANT TENSION STEPPER MOTOR

Automatic cleaning function of nozzle, intelligent
and convenient operation



1900MM



Sublimation/
AQ Pigment/Reactive



3 Phase 380VAC
Power 18kW

Model	ENJET H8
Max Printing Width	1900mm
Applicable Medium	Transfer Paper/Wood Grain Paper/Film/Wallpaper
Max Roll Diameter	1000mm
Ink Type	Sublimation/AQ Pigment/Reactive
Power Supply	3 Phase 380VAC Power 18kW
PrinterDimension(LxWxH)	2550x3730x1800(mm)
Printer Weight	2400kg

Production			
model	pass	High Definition Mode	High Speed Mode
H8	1	505 m ² /h	662 m ² /h
8 heads 4 colors	2	295 m ² /h	409 m ² /h
EPSON S3200	4	162 m ² /h	227 m ² /h
model	pass	High Definition Mode	High Speed Mode
K8	1	483 m ² /h	597 m ² /h
8 heads 4 colors	2	281 m ² /h	361 m ² /h
KYOCERA KJ4B-QA06)	4	154 m ² /h	203 m ² /h

INTELLIGENT OPERATING SYSTEM

Intelligent operating system, intelligent roll change, automatic positioning of the winding /unwinding to the loading and unloading position, high-definition/high-speed production modes, one-key switching

